

**From:** Victoria Binetti/R3/USEPA/US  
**Sent:** 4/11/2012 9:40:59 AM  
**To:** Ellen Schmitt/R3/USEPA/US@EPA; William Arguto/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Fw: Dimock Residential Ground Water Sampling - DRAFT Week #3 Residential Data Reports

Victoria P. Binetti  
Associate Director, Drinking Water & Source Water Protection  
Water Protection Division  
US Environmental Protection Agency, Region III

Phone: 215-814-5757  
Fax: 215-814-2318

----- Forwarded by Victoria Binetti/R3/USEPA/US on 04/11/2012 09:40 AM -----

**From:** Kelley Chase/R3/USEPA/US  
**To:** Victoria Binetti/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Robin Costas/ESC/R3/USEPA/US@EPA  
**Date:** 04/10/2012 08:40 PM  
**Subject:** Fw: Dimock Residential Ground Water Sampling - DRAFT Week #3 Residential Data Reports

Sorry - should have copied you on the attached e-mail regarding review of week #3 data. We anticipate releasing the data next week. Please let me know if you have any comments and/or questions regarding the attached reports. I will be forwarding the tox reports separately.

Thanks - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 04/10/2012 08:29 PM -----

**From:** Kelley Chase/R3/USEPA/US  
**To:** eoc\_environmental\_unit@epa.gov  
**Cc:** loven.Dawn@epamail.epa.gov, Robert Helverson/R3/USEPA/US@EPA, Lora Werner/R3/USEPA/US@EPA, Karl V Markiewicz <markiewicz.karl@epa.gov>  
**Date:** 04/10/2012 06:06 PM  
**Subject:** Dimock Residential Ground Water Sampling - DRAFT Week #3 Residential Data Reports

Attached please find PDFs of the Residential Data Reports for the 17 locations sampled during Week #3 (2/6/12 - 2/10/12). While the data has been validated and is considered final, the Region just received the reports from our contractor and will be conducting a concurrent review with HQs in order to finalize the reports. As such, the reports are still considered DRAFT. Please be sure to limit the distribution of these reports to an internal review as we have not yet shared the data with residents or with PADEP.

Please note that we are aware that in many cases the established "trigger levels" are lower than the actual detection limits. The R3 tox is taking this into account in her review. We will be prepared to answer questions regarding this issue as they come up during our meetings with residents. In addition to the attached reports, I will be forwarding the tox reports for these same locations. The tox reports include additional information (e.g. lab qualifiers, MDLs, QLs, RLs) to assist our R3 tox in her review of the data.

A glossary/key to the data report is also included.

Please feel free to contact me with any questions and/or if you need additional info.

Thank you - Kelley

[attachment "Updated 4-4-12- Key to Residential Sampling Results.pdf" deleted by Ellen Schmitt/R3/USEPA/US]

[attachment "HW-54.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-15a.pdf" deleted by Ellen

Schmitt/R3/USEPA/US] [attachment "HW-16.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-21.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-22.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-23.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-30.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-31.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-36.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-38.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-43.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-44.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-45.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-47.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-48.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-49.pdf" deleted by Ellen Schmitt/R3/USEPA/US] [attachment "HW-51.pdf" deleted by Ellen Schmitt/R3/USEPA/US]

\*all attachments on ESC